

DK4

PRODUCT CATELOGUE DESIGN



www.drix.co.in



CNC Edged Metal Tact Switch
Simplifying Complexity,
Minimalist Aesthetics



Drix[®]
Home Intelligence



DK4 LIGHT AND SHADOW
ACCOMPANY SLEEP

SELECT FROM A VARIETY OF COLORS

www.drix.co.in

Frame Color



Spray White



Spray Grey



Spray Champagne



Spray Black



Brushed Grey



Brushed Champagne



Brushed Matte Black

Metal Button Color



Spray White



Spray Grey



Spray Champagne



Spray Black



Brushed Grey



Brushed Champagne




Brushed Matte Black



Plastic Button Color




Black



DK4 METAL TACT SWITCHES




DK4 SPRAY WHITE METAL BUTTON METAL FRAME




DK4 SPRAY CHAMPAGNE METAL BUTTON METAL FRAME

DK4 BRUSHED BLACK PLASTIC BUTTON METAL FRAME



DK4 BRUSHED GREY PLASTIC BUTTON METAL FRAME



DK4 SERIES



CNC Edge
Finishing Process



Accurate
Balance Technique



Tact Switch



Patented Backlight
Technology




Multiple Color
Options



Multiple Material
Options




Customized Button
Graphics and Text



DK4 BACK COVER

DK4 THERMOSTAT BACK COVER



DK4 SERIES – KNX SWITCH

Button



2 Key



3 Key



4 Key



2 Line 4 Key



2 Line 6 Key



2 Line 8 Key



Exterior Color



Spray White



Spray Grey



Spray Champagne



Spray Black



Brushed Grey



Brushed Champagne



Brushed Black

General Information

Wiring Method:	KNX	Installation Method:	86mm Wall Box
Types of Switches:	Metal Tact Switch	Changeable Backlight Function:	●
Series:	Dk4	Touch Lifespan:	100,000 times
Input Voltage:	24V DC	Product Features:	CNC Edge Convenient Overall Assembly Multiple Color Options Sensor Backlight Function High Sensitivity ButtonText Customization
Terminal Port:	KNX		

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥15mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES – KNOB THERMOSTAT

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



General Information

Air Conditioner Type:	Fan Coil
Wiring Method:	KNX
Series:	Dk8 Knob Thermostat
Low Voltage:	☒
Fan Speed:	3 Gears
Rated Input Voltage:	24V
Standby Power:	1.2W
Set Temperature Range:	16 ~ 30°C Temperature Control Accuracy : 1°C


Temperature Correction Range:	-6°C ~ 6°C · Resolution 1°C
Temperature Sensor:	NTC Sensor
Adjustment Methods:	Twist Knob
Function Expansion:	Two-in-One: Floor Heating + Air Conditioning / Fresh Air; Three-in-One: Floor Heating + Air Conditioning + Fresh Air
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum Frame + Acrylic Display
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	16A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×


Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	13A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×

Neutral Line / Live Line:	Double Pole
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	16A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×


Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	16A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×

Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs


Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES – AMERICAN SOCKET



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	15A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×


Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	16A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×


Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	16A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×


Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	16A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×


Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Rated Current:	16A
Rated Voltage:	250V
USB Input Voltage:	×
USB Output Voltage:	×
USB Output Current:	×

Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials


Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - 2 PIN & 3 PIN UNIVERSAL SOCKET (MEDIUM-LARGE PANEL)

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	10A
USB Input Voltage:	×
USB Output Voltage:	×

USB Output Current:	×
Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials


Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - 2 PIN & 3 PIN UNIVERSAL SOCKET WITH DUAL USB (NO BUTTON & NEON)

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	10A
USB Input Voltage:	80-260VAC
USB Output Voltage:	5±0.2VDC

USB Output Current:	2.1A
Neutral Line / Live Line:	●
Relay:	✕
Changeable Backlight Function:	✕
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options

Materials


Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - 2 PIN & 3 PIN UNIVERSAL SOCKET WITH DUAL USB (C+A) (NO BUTTON & NEON) (FAST CHARGE)

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	10A
USB Input Voltage:	100-240V~
USB Output Voltage:	5V --- 3A 9V --- 2.2A 12V --- 1.67A

Neutral Line / Live Line:	●
Relay:	✕
Changeable Backlight Function:	✕
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	Metal surface Craftsmanship Multiple Color Options

Materials


Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - 2 PIN & 3 PIN UNIVERSAL SOCKET WITH DUAL USB (C+A) (NO BUTTON & NEON) (NORMAL CHARGE)

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	10A
USB Input Voltage:	100-240V~
USB Output Voltage:	5±0.2VDC

USB Output Current:	2.1A
Neutral Line / Live Line:	●
Relay:	✕
Changeable Backlight Function:	✕
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	Metal surface Craftmanship Multiple Color Options


Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES – 3 PIN UNIVERSAL SOCKET



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	High Voltage Socket
Series:	DK4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	13A
USB Input Voltage:	×
USB Output Voltage:	×

USB Output Current:	×
Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs


Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES – 3 PIN UNIVERSAL SOCKET WITH SWITCH



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	High Voltage Socket
Series:	DK4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	13A
USB Input Voltage:	×
USB Output Voltage:	×

USB Output Current:	×
Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials


Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - 3 PIN UNIVERSAL SOCKET WITH DUAL USB (NO BUTTON & NEON)

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	13A
USB Input Voltage:	80-260VAC
USB Output Voltage:	5±0.2VDC

USB Output Current:	2.1A
Neutral Line / Live Line:	●
Relay:	✕
Changeable Backlight Function:	✕
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials


Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES – 3 PIN UNIVERSAL SOCKET WITH DUAL USB (C+A) (NO BUTTON & NEON) (FAST CHARGE)

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	13A
USB Input Voltage:	100-240V~
USB Output Voltage:	5V --- 3A 9V --- 2.2A 12V --- 1.67A

Neutral Line / Live Line:	●
Relay:	✕
Changeable Backlight Function:	✕
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials


Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - 3 PIN UNIVERSAL SOCKET WITH DUAL USB (C+A) (NO BUTTON & NEON) (NORMAL CHARGE)

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	13A
USB Input Voltage:	80-260VAC
USB Output Voltage:	5±0.2VDC

USB Output Current:	2.1A
Neutral Line / Live Line:	●
Relay:	✕
Changeable Backlight Function:	✕
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs


Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - TV SOCKET (MEDIUM-LARGE PANEL)



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	TV Cable
Types of Switches:	Information Socket
Series:	Dk4
Signal Attenuation Degree:	≤1dB Single TV Socket ≤ 1dB, ≤8dB One-Branded TV Socket ≤ 8dB, ≤10dB Two-Branded TV Socket ≤ 10dB.
Insertion & unplugging life:	5000 times


Operating Temperature:	- 2 0°C - + 4 0°C
Operating Humidity:	≥95%
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Conjoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	Telephone Cable
Types of Switches:	Information Socket
Series:	Dk4
Insertion & unplugging life:	5000 times
Operating Temperature:	- 2 0°C- + 4 0°C

Operating Humidity:	≥95%
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options


Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - DATA SOCKET (CAT 5) (MEDIUM-LARGE PANEL)



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	CAT 5 Ethernet Cable
Types of Switches:	Information Socket
Series:	Dk4
Number of Cores:	8 Cores
Connector	QuickPort Embedded Module
Transmission Speed:	100-200MHZ

Operating Temperature:	- 2 0°C - + 4 0°C
Operating Humidity:	≥95%
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options


Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

Dk4 SERIES - DATA SOCKET (CAT 6) (MEDIUM-LARGE PANEL)



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	CAT 5 Ethernet Cable
Types of Switches:	Information Socket
Series:	Dk4
Number of Cores:	8 Cores
Connector	QuickPort Embedded Module
Transmission Speed:	100-200MHZ

Operating Temperature:	- 2 0°C - + 4 0°C
Operating Humidity:	≥95%
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Conjoined

DK4 SERIES - 600W DIMMER (MEDIUM-LARGE PANEL)



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	Dimmer Switch
Series:	Dk4
Operating Temperature & Humidity:	-10°C~+45°C · ≤95%RH(Non-condensing)
Storage Temperature & Humidity:	-25°C~+70°C · ≤95%RH (Non-condensing)
Maximum Supply Voltage:	90V-264VAC,50/60Hz
Rated Operating Voltage:	100-220-242V

Input Frequency Variation Range:	47-50/60-63Hz
Maximum Output Power Load:	LED:100W Incandescent Lamp:300W
Standby Power:	1W
Neutral Line / Live Line:	●
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - 300W SPEED CONTROLLER (MEDIUM-LARGE PANEL)



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	Speed Switch
Series:	Dk4
Operating Temperature & Humidity:	-10°C~+45°C · ≤95%RH(Non-condensing)
Storage Temperature & Humidity:	-25°C~+70°C · ≤95%RH (Non-condensing)
Maximum Supply Voltage:	90V-264VAC,50/60Hz
Rated Operating Voltage:	250-1000MHZ

Input Frequency Variation Range:	47-50/60-63Hz
Maximum Output Power Load:	<300W
Standby Power:	1W
Neutral Line / Live Line:	●
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options


Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - LED MECHANIC FOOTLIGHT (SENSOR VERSION)



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	Function Modular
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	220VAC±10%
Power Frequency:	50/60Hz
Product Power:	0.65W
Operating Temperature & Humidity:	-20°C~+40°C · ≤95%


Light Control Range:	2Lux-10Lux
Delay Time:	30±10 seconds
Sensing Range:	2-4 meters (front) 1-2 meters (70 degrees on both left and right sides)
Neutral Line / Live Line:	●
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Installation Height:	0.3-1 Meter
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Conjoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey




Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	Function Modular
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	220VAC±10%
Power Frequency:	50/60Hz
Product Power:	0.65W
Operating Temperature & Humidity:	-20°C~+40°C · ≤95%


Light Control Range:	×
Delay Time:	×
Sensing Range:	×
Neutral Line / Live Line:	●
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Installation Height:	0.3-1 Meter
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Conjoined




Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	Function Modular
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	220VAC±10%
Power-off Delay Time:	15s
Operating Temperature & Humidity:	-10°C~+45°C · ≤95%

Storage Temperature & Humidity:	-25°C~+70°C · ≤95%
Maximum Resistive Load for a Single Circuit:	2Lux-10Lux
Neutral Line / Live Line:	●
Installation Method:	86mm Wall Box

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	Dimmer Switch
Series:	Dk4
Input Voltage:	AC220V
Operating Temperature & Humidity:	-10°C~+45°C · ≤95%RH(Non-condensing)
Power-off Delay Time:	-25°C~+70°C · ≤95%RH (Non-condensing)
Maximum Supply Voltage:	90V-264VAC,50/60Hz
Rated Operating Voltage:	100-220-242V

Input Frequency:	50/60Hz
Maximum Load:	100W
Standby Power:	1W
Neutral Line / Live Line:	●
Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES – DUAL USB SOCKET



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	13A
USB Input Voltage:	80-260VAC

USB Output Voltage:	5±0.2VDC
USB Output Current:	2.1A
Neutral Line / Live Line:	●
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - DUAL USB C+A SOCKET (FAST CHARGE)



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	250V
Rated Current:	13A
USB Input Voltage:	100-240V~
USB Output Voltage / Current:	5V ≡ 3A 9V ≡ 2.2A 12V ≡ 1.67A

Neutral Line / Live Line:	●
Relay:	✕
Changeable Backlight Function:	✕
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	Metal Surface Craftsmanship Multiple Color Options

Materials


Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES - (DT) SHAVER SOCKET (BUILT-IN 10W TRANSFORMER) (MEDIUM-LARGE PANEL)

Drix[®]
Home Intelligence



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	High Voltage Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Voltage:	110V-250V
Maximum Power:	2000W
USB Input Voltage:	×
USB Output Voltage:	×

USB Output Current:	×
Neutral Line / Live Line:	●
Relay:	×
Changeable Backlight Function:	×
Installation Method:	86mm Wall Box
Touch Lifespan:	100,000 times
Product Features:	CNC Edge Multiple Color Options Meets Users' Power Supply Needs

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

DK4 SERIES – EMERGENCY CALL BUTTON (MEDIUM-LARGE PANEL)



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	Function Modular
Series:	DK4
Operating Temperature:	- 2 0°C - + 4 0°C
Operating Humidity:	≥95%


Installation Method:	86mm Wall Box
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	CAT 5 Ethernet Cable
Types of Switches:	Information Socket
Series:	Dk4
Number of Cores:	8 Cores
Connector:	QuickPort Embedded Module
Insertion & unplugging life:	100-200MHZ
USB Input Voltage:	5±0.2VDC


USB Output Current:	2.1A
Neutral Line / Live Line:	●
Installation Method:	86mm Wall Box
Touch Lifespan	100,000 times
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined



Exterior Color

Aluminum Material



Spray White



Spray Black



Spray Grey



Spray Champagne



Brushed Matte Black



Brushed Grey



Brushed Champagne

General Information

Wiring Method:	220V High Voltage
Types of Switches:	Information Socket
Series:	Dk4
Input Voltage:	AC220V
Rated Current:	10A
Maximum Power:	2000W

Installation Method:	86mm Wall Box
Touch Lifespan	100,000 times
Product Features:	CNC Edge Multiple Color Options

Materials

Surface Materials:	Aluminum
Surface Treatment:	Spray/Brushed

Dimensions

Product Dimensions:	W:86 H:86 D:7mm (Excluding Base)
Embedded Depth:	≥45mm
Cojoined:	1/2/3/4/5 Cojoined

SMART ~~SWEET~~ HOME

Drix[®]
Home Intelligence



Keep in **Touch**:

📍 Corporate Office : No. 29, 11th Floor, Xavier Business Center,
Ibn Battuta Gate Building, Dubai UAE

✉ admin@drix.co.in

🌐 www.drix.co.in

Toll Free Number : 1800 123 7595

IMPORTER AND MANUFACTURER

HEAVEN AUTOMATION PRIVATE LIMITED

📍 #201, 2nd Floor, Gowrikrishna Residency,
7th Cross East, Thillainagar, Trichy - 620 018.
For Enquiry : 96777 97762 / 73737 30885